

8

7

6



5

4

3

2

1



3 SET SCREWS FOR
SECURING COVER TO BOLLARD

NOTE: OTHER MATERIALS/FINISHES AVAILABLE - CONTACT FOR MORE INFORMATION

COVER SELECTION

| SELECTION | PART NUMBER | COVER HEIGHT (H) | FITS BOLLARD SIZE (I.D.) | MATERIAL | COVER WEIGHT |
|-----------|--------------|------------------|--------------------------|----------|--------------|
| | BCV4D10830-6 | 30" | 6" NPS (6.625" O.D.) | 304 SS | 40LBS |
| | BCV4D10836-6 | 36" | | | 47LBS |
| | BCV4D10840-6 | 40" | | | 52LBS |
| | BCV4D10842-6 | 42" | | | 54LBS |
| | BCV6D10830-6 | 30" | | 316L SS | 40LBS |
| | BCV6D10836-6 | 36" | | | 47LBS |
| | BCV6D10840-6 | 40" | | | 52LBS |
| | BCV6D10842-6 | 42" | | | 54LBS |


APPROVAL SIGNATURE:

DATE:

NOTE: BOLLARD SHOULD BE WITHIN 1/4" - 1" SHORTER THAN OVERALL HEIGHT OF COVER

#4 CIRCUMFERENTIAL
BRUSHED FINISH TYP
ALL EXTERIOR SURFACES



| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| | NAME | DATE |  BARRIER DEFENSE SYSTEMS <small>A SHAW STAINLESS COMPANY</small> | 986 ROSEDALE DR. HIRAM, GA 30141 (678) 915-2080 |
| DRAWN BY | S.J. | 9/25/2020 | | |
| CHECKED BY | J.HU. | 9/25/2020 | DESCRIPTION: | |
| PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SHAW STAINLESS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SHAW STAINLESS LLC IS PROHIBITED. | | | 8" FLAT TOP 2 REVEAL BOLLARD COVER | |
| | | | REV. A | ITEM NO: SEE SELECTOR |
| | | | SHEET 1 OF 1 | |

NO MANUAL REVISIONS/CHANGES ALLOWED

8

7

6

5

4

3

2

1